

**ESTIMATES OF ABSORBED DOSE
TO THE COLON OF PEOPLE IN JAPAN
FOR THE FIRST YEAR AFTER THE ACCIDENT
AT THE FUKUSHIMA DAIICHI NUCLEAR
POWER STATION**

UNSCEAR 2020/2021 Report, Annex B, Levels and effects of radiation exposure due to the accident at the Fukushima Daiichi Nuclear Power Station: implications of information published since the UNSCEAR 2013 Report

Contents

This attachment details all the summary tables for the Committee's estimates of absorbed doses to the colon of people across Japan for the first year after the Fukushima Daiichi Nuclear Power Station accident. These summaries are provided for each age group (adults, 10-year-old children and 1-year-old infants) for all non-evacuated municipalities within Fukushima Prefecture (Group 2), for some municipalities within the Group 3 prefectures (Ibaraki, Miyagi, Tochigi and Yamagata), and for other prefectures in the rest of Japan.

The population data are taken from the Japan Census [MIC, 2011].

Notes

For consistency, doses in this attachment are quoted, in general, to two significant figures. This should not be interpreted as an indication of their precision that is often much less.

The designations employed and the presentation of material in this publication do not imply the expression of any opinion whatsoever on the part of the Secretariat of the United Nations concerning the legal status of any country, territory, city or area, or of its authorities, or concerning the delimitation of its frontiers or boundaries.

Information on Uniform Resource Locators (URLs) and links to Internet sites contained in the present publication are provided for the convenience of the reader and are correct at the time of issue. The United Nations takes no responsibility for the continued accuracy of that information or for the content of any external website.

© United Nations, March 2022. All rights reserved, worldwide.

This publication has not been formally edited.

Table A-16.1. Absorbed doses to the colon of adults in the first year for Fukushima Prefecture (excluding evacuated areas)

Municipality	Population in 2010 (persons)	Average deposition density of ¹³⁷ Cs on soil (Bq/m ²)	Estimated absorbed doses to the colon of adults (mGy)						
			External (plume)	External (ground)	Inhalation (plume)	Ingestion	Total		
			Mean	Mean	Mean	Mean	Mean	5%ile	95%ile
Fukushima Prefecture									
Aizubange Machi	17 918	39 454	<0.001	0.64	<0.001	0.025	0.66	0.36	1.1
Aizumisato Machi	24 631	14 523	<0.001	0.25	<0.001	0.025	0.27	0.15	0.45
Aizuwakamatsu Shi	131 928	24 878	<0.001	0.50	<0.001	0.025	0.52	0.28	0.86
Asakawa Machi	7 402	23 748	0.001	0.41	0.004	0.025	0.44	0.24	0.72
Bandai Machi	4 293	22 201	<0.001	0.43	<0.001	0.025	0.45	0.24	0.74
Date Shi	69 963	147 228	0.007	2.3	0.026	0.025	2.4	1.3	3.9
Fukushima Shi	296 181	228 498	0.006	3.5	0.019	0.025	3.6	1.9	5.9
Furudono Machi	6 374	21 963	0.002	0.37	0.009	0.025	0.40	0.22	0.66
Hanawa Machi	10 663	19 976	0.002	0.34	0.007	0.025	0.38	0.20	0.61
Hinoemata Mura	696	2 434	<0.001	0.042	<0.001	0.025	0.067	0.036	0.12
Hirata Mura	7 595	19 296	0.001	0.35	0.005	0.025	0.38	0.20	0.62
Inawashiro Machi	16 982	24 633	0.001	0.40	0.001	0.025	0.42	0.23	0.69
Ishikawa Machi	19 175	11 789	0.001	0.20	0.002	0.025	0.22	0.12	0.36
Iwaki Shi	354 297	26 385	0.008	0.70	0.037	0.025	0.77	0.41	1.3
Izumizaki Mura	6 949	55 888	0.001	0.89	0.003	0.025	0.92	0.49	1.5
Kagamiishi Machi	13 651	56 530	0.001	0.90	0.003	0.025	0.93	0.50	1.5
Kaneyama Machi	2 871	3 161	<0.001	0.047	<0.001	0.025	0.071	0.038	0.13
Kawamata Machi	16 847	93 168	0.004	1.5	0.014	0.025	1.5	0.82	2.5
Kitakata Shi	55 824	20 684	<0.001	0.36	<0.001	0.025	0.39	0.21	0.64
Kitashiobara Mura	3 791	49 371	<0.001	0.81	<0.001	0.025	0.83	0.44	1.37
Koori Machi	14 708	208 246	0.009	3.1	0.029	0.025	3.2	1.7	5.3
Koriyama Shi	341 781	162 070	0.001	2.5	0.004	0.025	2.5	1.3	4.1
Kunimi Machi	9 952	88 661	0.005	1.4	0.019	0.025	1.5	0.78	2.4
Miharu Machi	17 942	83 919	0.001	1.3	0.003	0.025	1.4	0.72	2.2
Minamiaizu Machi	19 896	5 101	<0.001	0.085	<0.001	0.025	0.11	0.059	0.19
Minamisoma Shi	40 941	109 472	0.034	1.7	0.15	0.025	1.9	1.0	3.3
Mishima Machi	2 213	13 560	<0.001	0.22	<0.001	0.025	0.25	0.13	0.40
Motomiya Shi	30 771	128 097	0.001	2.0	0.003	0.025	2.0	1.1	3.3
Nakajima Mura	4 865	25 332	0.001	0.43	0.003	0.025	0.46	0.25	0.76
Nihonmatsu Shi	63 751	197 153	0.003	2.9	0.008	0.025	3.0	1.6	4.9
Nishiaizu Machi	8 237	6 193	<0.001	0.10	<0.001	0.025	0.12	0.07	0.21
Nishigo Mura	18 615	96 014	0.001	1.5	0.004	0.025	1.5	0.80	2.5
Ono Machi	11 983	21 434	0.002	0.36	0.008	0.025	0.39	0.21	0.64

Municipality	Population in 2010 (persons)	Average deposition density of ¹³⁷ Cs on soil (Bq/m ²)	Estimated absorbed doses to the colon of adults (mGy)						
			External (plume)	External (ground)	Inhalation (plume)	Ingestion	Total		
			Mean	Mean	Mean	Mean	Mean	5%ile	95%ile
Otama Mura	8 130	162 855	0.002	2.5	0.004	0.025	2.5	1.3	4.2
Samegawa Mura	4 259	21 146	0.001	0.38	0.006	0.025	0.41	0.22	0.67
Shimogo Machi	7 010	3 376	<0.001	0.19	<0.001	0.025	0.21	0.11	0.35
Shinchi Machi	9 039	55 233	0.013	0.90	0.058	0.025	1.0	0.52	1.7
Shirakawa Shi	66 544	71 676	0.001	1.2	0.005	0.025	1.3	0.67	2.1
Showa Mura	1 632	12 200	<0.001	0.20	<0.001	0.025	0.23	0.12	0.37
Soma Shi	38 187	54 612	0.018	0.87	0.079	0.025	1.0	0.52	1.7
Sukagawa Shi	78 819	73 261	0.001	1.2	0.003	0.025	1.2	0.64	2.0
Tadami Machi	5 277	5 311	<0.001	0.12	<0.001	0.025	0.15	0.078	0.24
Tamakawa Mura	7 295	15 751	0.001	0.26	0.002	0.025	0.29	0.15	0.47
Tamura Shi	40 231	34 945	0.002	0.58	0.007	0.025	0.61	0.32	1.0
Tanagura Machi	15 702	45 108	0.003	0.71	0.011	0.025	0.75	0.40	1.2
Ten-ei Mura	6 589	115 367	0.001	1.7	0.005	0.025	1.8	0.95	2.9
Yabuki Machi	18 688	33 530	<0.001	0.58	0.002	0.025	0.60	0.32	0.99
Yamatsuri Machi	6 821	6 324	<0.001	0.27	0.001	0.025	0.30	0.16	0.48
Yanaizu Machi	4 263	12 995	<0.001	0.21	<0.001	0.025	0.24	0.13	0.39
Yugawa Mura	3 455	37 400	<0.001	0.61	<0.001	0.025	0.64	0.34	1.1

Table A-16.2. Absorbed doses to the colon of 10-year-old children in the first year after the accident for Fukushima Prefecture (excluding evacuated areas)

Municipality	Population in 2010 (persons)	Average deposition density of ¹³⁷ Cs on soil (Bq/m ²)	Estimated absorbed doses to the colon of 10-year-old children (mGy)						
			External (plume)	External (ground)	Inhalation (plume)	Ingestion	Total		
			Mean	Mean	Mean	Mean	Mean	5%ile	95%ile
Fukushima Prefecture									
Aizubange Machi	17 918	39 454	<0.001	0.80	<0.001	0.018	0.82	0.44	1.4
Aizumisato Machi	24 631	14 523	<0.001	0.31	<0.001	0.018	0.33	0.18	0.54
Aizuwakamatsu Shi	131 928	24 878	<0.001	0.63	<0.001	0.018	0.64	0.35	1.1
Asakawa Machi	7 402	23 748	0.001	0.52	0.005	0.018	0.54	0.29	0.89
Bandai Machi	4 293	22 201	<0.001	0.54	0.001	0.018	0.56	0.30	0.92
Date Shi	69 963	147 228	0.008	2.9	0.035	0.018	3.0	1.6	4.9
Fukushima Shi	296 181	228 498	0.006	4.4	0.026	0.018	4.5	2.4	7.4
Furudono Machi	6 374	21 963	0.002	0.46	0.013	0.018	0.50	0.27	0.81
Hanawa Machi	10 663	19 976	0.002	0.43	0.011	0.018	0.46	0.25	0.75
Hinoemata Mura	696	2 434	<0.001	0.053	<0.001	0.018	0.07	0.038	0.12
Hirata Mura	7 595	19 296	0.001	0.44	0.008	0.018	0.46	0.25	0.76
Inawashiro Machi	16 982	24 633	0.001	0.50	0.002	0.018	0.52	0.28	0.85
Ishikawa Machi	19 175	11 789	0.001	0.25	0.004	0.018	0.27	0.14	0.44
Iwaki Shi	354 297	26 385	0.008	0.89	0.050	0.018	1.0	0.51	1.6
Izumizaki Mura	6 949	55 888	0.001	1.1	0.004	0.018	1.1	0.61	1.9
Kagamiishi Machi	13 651	56 530	0.001	1.1	0.005	0.018	1.2	0.62	1.9
Kaneyama Machi	2 871	3 161	<0.001	0.059	<0.001	0.018	0.077	0.041	0.13
Kawamata Machi	16 847	93 168	0.004	1.9	0.021	0.018	1.9	1.0	3.2
Kitakata Shi	55 824	20 684	<0.001	0.46	<0.001	0.018	0.48	0.26	0.78
Kitashiobara Mura	3 791	49 371	0.001	1.0	0.001	0.018	1.0	0.55	1.7
Koori Machi	14 708	208 246	0.010	4.0	0.039	0.018	4.0	2.2	6.6
Koriyama Shi	341 781	162 070	0.001	3.1	0.007	0.018	3.1	1.7	5.2
Kunimi Machi	9 952	88 661	0.006	1.8	0.025	0.018	1.8	1.0	3.0
Miharu Machi	17 942	83 919	0.001	1.7	0.004	0.018	1.7	0.91	2.8
Minamiaizu Machi	19 896	5 101	<0.001	0.11	<0.001	0.018	0.13	0.067	0.21
Minamisoma Shi	40 941	109 472	0.038	2.2	0.21	0.018	2.4	1.3	4.2
Mishima Machi	2 213	13 560	<0.001	0.28	<0.001	0.018	0.30	0.16	0.49
Motomiya Shi	30 771	128 097	0.001	2.5	0.004	0.018	2.5	1.3	4.1
Nakajima Mura	4 865	25 332	0.001	0.55	0.004	0.018	0.57	0.30	0.93
Nihonmatsu Shi	63 751	197 153	0.003	3.7	0.011	0.018	3.7	2.0	6.2
Nishiaizu Machi	8 237	6 193	<0.001	0.12	<0.001	0.018	0.14	0.076	0.23
Nishigo Mura	18 615	96 014	0.001	1.8	0.006	0.018	1.9	1.0	3.1

Municipality	Population in 2010 (persons)	Average deposition density of ¹³⁷ Cs on soil (Bq/m ²)	Estimated absorbed doses to the colon of 10-year-old children (mGy)						
			External (plume)	External (ground)	Inhalation (plume)	Ingestion	Total		
			Mean	Mean	Mean	Mean	Mean	5%ile	95%ile
Ono Machi	11 983	21 434	0.002	0.45	0.011	0.018	0.48	0.26	0.79
Otama Mura	8 130	162 855	0.002	3.1	0.005	0.018	3.2	1.7	5.2
Samegawa Mura	4 259	21 146	0.002	0.47	0.010	0.018	0.50	0.27	0.82
Shimogo Machi	7 010	3 376	<0.001	0.24	<0.001	0.018	0.26	0.14	0.42
Shinchi Machi	9 039	55 233	0.014	1.1	0.081	0.018	1.3	0.66	2.1
Shirakawa Shi	66 544	71 676	0.001	1.5	0.007	0.018	1.6	0.84	2.6
Showa Mura	1 632	12 200	<0.001	0.26	<0.001	0.018	0.27	0.15	0.45
Soma Shi	38 187	54 612	0.020	1.1	0.11	0.018	1.2	0.65	2.1
Sukagawa Shi	78 819	73 261	0.001	1.5	0.005	0.018	1.5	0.80	2.5
Tadami Machi	5 277	5 311	<0.001	0.15	<0.001	0.018	0.17	0.092	0.28
Tamakawa Mura	7 295	15 751	0.001	0.33	0.004	0.018	0.35	0.19	0.57
Tamura Shi	40 231	34 945	0.002	0.73	0.011	0.018	0.76	0.40	1.24
Tanagura Machi	15 702	45 108	0.003	0.89	0.016	0.018	0.93	0.50	1.5
Ten-ei Mura	6 589	115 367	0.001	2.2	0.007	0.018	2.2	1.2	3.7
Yabuki Machi	18 688	33 530	<0.001	0.73	0.003	0.018	0.75	0.40	1.2
Yamatsuri Machi	6 821	6 324	<0.001	0.34	0.002	0.018	0.36	0.19	0.59
Yanaizu Machi	4 263	12 995	<0.001	0.27	<0.001	0.018	0.29	0.15	0.47
Yugawa Mura	3 455	37 400	<0.001	0.77	<0.001	0.018	0.79	0.42	1.3

Table A-16.3. Absorbed doses to the colon of 1-year-old infants in the first year after the accident for Fukushima Prefecture (excluding evacuated areas)

Municipality	Population in 2010 (persons)	Average deposition density of ¹³⁷ Cs on soil (Bq/m ²)	Estimated absorbed doses to the colon of 1-year-old infants (mGy)						
			External (plume)	External (ground)	Inhalation (plume)	Ingestion	Total		
			Mean	Mean	Mean	Mean	Mean	5%ile	95%ile
Fukushima Prefecture									
Aizubange Machi	17 918	39 454	<0.001	0.93	<0.001	0.018	0.95	0.51	1.6
Aizumisato Machi	24 631	14 523	<0.001	0.37	<0.001	0.018	0.38	0.21	0.63
Aizuwakamatsu Shi	131 928	24 878	<0.001	0.73	<0.001	0.018	0.75	0.40	1.2
Asakawa Machi	7 402	23 748	0.001	0.60	0.007	0.018	0.63	0.34	1.0
Bandai Machi	4 293	22 201	<0.001	0.63	0.001	0.018	0.65	0.35	1.1
Date Shi	69 963	147 228	0.009	3.4	0.044	0.018	3.5	1.9	5.7
Fukushima Shi	296 181	228 498	0.007	5.1	0.032	0.018	5.2	2.8	8.6
Furudono Machi	6 374	21 963	0.002	0.54	0.016	0.018	0.57	0.31	0.94
Hanawa Machi	10 663	19 976	0.002	0.50	0.013	0.018	0.53	0.29	0.87
Hinoemata Mura	696	2 434	<0.001	0.062	0.000	0.018	0.080	0.043	0.13
Hirata Mura	7 595	19 296	0.001	0.51	0.010	0.018	0.54	0.29	0.88
Inawashiro Machi	16 982	24 633	0.001	0.58	0.003	0.018	0.60	0.32	1.0
Ishikawa Machi	19 175	11 789	0.001	0.29	0.005	0.018	0.31	0.17	0.50
Iwaki Shi	354 297	26 385	0.009	1.0	0.060	0.018	1.1	0.59	1.9
Izumizaki Mura	6 949	55 888	0.001	1.3	0.005	0.018	1.3	0.71	2.2
Kagamiishi Machi	13 651	56 530	0.001	1.3	0.006	0.018	1.3	0.72	2.2
Kaneyama Machi	2 871	3 161	<0.001	0.068	<0.001	0.018	0.086	0.046	0.14
Kawamata Machi	16 847	93 168	0.005	2.2	0.026	0.018	2.2	1.2	3.7
Kitakata Shi	55 824	20 684	<0.001	0.53	<0.001	0.018	0.55	0.30	0.91
Kitashiobara Mura	3 791	49 371	0.001	1.2	0.001	0.018	1.2	0.64	2.0
Koori Machi	14 708	208 246	0.011	4.6	0.049	0.018	4.7	2.5	7.7
Koriyama Shi	341 781	162 070	0.001	3.6	0.0083	0.018	3.6	1.9	6.0
Kunimi Machi	9 952	88 661	0.006	2.1	0.031	0.018	2.1	1.1	3.5
Miharu Machi	17 942	83 919	0.001	1.9	0.005	0.018	2.0	1.1	3.3
Minamiaizu Machi	19 896	5 101	<0.001	0.12	<0.001	0.018	0.14	0.077	0.23
Minamisoma Shi	40 941	109 472	0.041	2.50	0.25	0.018	2.8	1.5	4.9
Mishima Machi	2 213	13 560	<0.001	0.33	<0.001	0.018	0.34	0.18	0.57
Motomiya Shi	30 771	128 097	0.001	2.87	0.006	0.018	2.9	1.6	4.8
Nakajima Mura	4 865	25 332	0.001	0.64	0.005	0.018	0.66	0.35	1.1
Nihonmatsu Shi	63 751	197 153	0.003	4.28	0.015	0.018	4.3	2.3	7.2
Nishiaizu Machi	8 237	6 193	<0.001	0.14	<0.001	0.018	0.16	0.087	0.27
Nishigo Mura	18 615	96 014	0.001	2.14	0.007	0.018	2.2	1.2	3.6

Municipality	Population in 2010 (persons)	Average deposition density of ¹³⁷ Cs on soil (Bq/m ²)	Estimated absorbed doses to the colon of 1-year-old infants (mGy)						
			External (plume)	External (ground)	Inhalation (plume)	Ingestion	Total		
			Mean	Mean	Mean	Mean	Mean	5%ile	95%ile
Ono Machi	11 983	21 434	0.002	0.53	0.014	0.018	0.56	0.30	0.92
Otama Mura	8 130	162 855	0.002	3.63	0.007	0.018	3.7	2.0	6.1
Samegawa Mura	4 259	21 146	0.002	0.55	0.012	0.018	0.58	0.31	1.0
Shimogo Machi	7 010	3 376	<0.001	0.28	<0.001	0.018	0.30	0.16	0.49
Shinchi Machi	9 039	55 233	0.016	1.3	0.099	0.018	1.5	0.76	2.4
Shirakawa Shi	66 544	71 676	0.001	1.79	0.009	0.018	1.8	1.0	3.0
Showa Mura	1 632	12 200	<0.001	0.30	<0.001	0.018	0.32	0.17	0.52
Soma Shi	38 187	54 612	0.021	1.3	0.14	0.018	1.4	0.75	2.5
Sukagawa Shi	78 819	73 261	0.001	1.7	0.006	0.018	1.7	0.92	2.9
Tadami Machi	5 277	5 311	<0.001	0.18	<0.001	0.018	0.20	0.11	0.32
Tamakawa Mura	7 295	15 751	0.001	0.38	0.004	0.018	0.41	0.22	0.67
Tamura Shi	40 231	34 945	0.002	0.84	0.013	0.018	0.88	0.46	1.4
Tanagura Machi	15 702	45 108	0.003	1.0	0.020	0.018	1.1	0.58	1.8
Ten-ei Mura	6 589	115 367	0.001	2.5	0.009	0.018	2.6	1.4	4.3
Yabuki Machi	18 688	33 530	0.001	0.85	0.003	0.018	0.87	0.47	1.4
Yamatsuri Machi	6 821	6 324	<0.001	0.40	0.003	0.018	0.42	0.22	0.69
Yanaizu Machi	4 263	12 995	<0.001	0.31	<0.001	0.018	0.33	0.18	0.54
Yugawa Mura	3 455	37 400	<0.001	0.90	<0.001	0.018	0.92	0.49	1.5

Table A-16.4. Absorbed doses to the colon of adults in the first year after the accident for prefectures neighbouring Fukushima Prefecture

Municipality	Population in 2010 (persons)	Average deposition density of ¹³⁷ Cs on soil (Bq/m ²)	Estimated absorbed doses to the colon of adults (mGy)						
			External (plume)	External (ground)	Inhalation (plume)	Ingestion	Total		
			Mean	Mean	Mean	Mean	Mean	5%ile	95%ile
Ibaraki Prefecture									
Daigo Machi	22 077	9 233	<0.001	0.16	0.002	0.005	0.17	0.09	0.28
Hitachi Shi	14 753	27 366	0.007	0.46	0.032	0.005	0.50	0.26	0.84
Hitachiomiya Shi	2 512	8 220	<0.001	0.14	0.002	0.005	0.15	0.080	0.25
Hitachiota Shi	5 188	6 358	<0.001	0.13	0.002	0.005	0.14	0.074	0.23
Kitaibaraki Shi	49 847	16 821	0.003	0.49	0.016	0.005	0.52	0.27	0.86
Takahagi Shi	32 207	26 854	0.007	0.72	0.032	0.005	0.76	0.40	1.3
Miyagi Prefecture									
Higashimatsushima Shi	43 611	7 050	0.006	0.12	0.028	0.005	0.16	0.085	0.30
Iwanuma Shi	42 842	16 081	0.003	0.28	0.017	0.005	0.30	0.16	0.50
Kakuda Shi	33 783	37 016	0.003	0.61	0.013	0.005	0.63	0.33	1.0
Kawasaki Machi	10 517	9 496	0.001	0.17	0.002	0.005	0.18	0.094	0.30
Marumori Machi	16 632	49 610	0.003	0.84	0.013	0.005	0.86	0.45	1.4
Murata Machi	12 390	14 629	0.001	0.25	0.003	0.005	0.26	0.14	0.43
Natori Shi	75 306	14 709	0.004	0.35	0.018	0.005	0.37	0.20	0.62
Ogawara Machi	23 398	33 604	0.001	0.55	0.006	0.005	0.57	0.30	0.94
Rifu Cho	32 611	14 720	0.006	0.24	0.025	0.005	0.28	0.15	0.47
Sendai Shi	1 014 208	10 674	0.001	0.18	0.003	0.005	0.19	0.10	0.31
Shibata Machi	39 490	29 017	0.002	0.47	0.007	0.005	0.48	0.26	0.80
Shichigahama Machi	22 259	7 680	0.003	0.13	0.014	0.005	0.15	0.083	0.26
Shichikashuku Machi	1 871	9 264	0.001	0.17	0.002	0.005	0.18	0.095	0.29
Shiogama Shi	56 266	13 640	0.006	0.23	0.023	0.005	0.27	0.15	0.45
Shiroishi Shi	39 696	31 054	0.001	0.51	0.003	0.005	0.52	0.27	0.86
Tagajo Shi	64 922	15 380	0.005	0.26	0.022	0.005	0.29	0.16	0.50
Watari Cho	35 776	26 777	0.006	0.44	0.030	0.005	0.48	0.24	0.84
Yamamoto Cho	17 248	42 626	0.011	0.66	0.049	0.005	0.73	0.37	1.2
Zao Machi	13 073	18 296	0.002	0.31	0.006	0.005	0.32	0.17	0.54
Tochigi Prefecture									
Nakagawa Machi	19 903	18 800	0.002	0.31	0.008	0.005	0.33	0.17	0.54
Nasu Machi	26 691	51 525	0.001	0.84	0.002	0.005	0.85	0.45	1.4
Nasushiobara Shi	118 463	52 368	0.001	0.89	0.005	0.005	0.90	0.48	1.5
Nikko Shi	85 261	7 203	<0.001	0.27	<0.001	0.005	0.28	0.15	0.46
Otawara Shi	75 385	23 434	0.001	0.44	0.006	0.005	0.45	0.24	0.75

Municipality	Population in 2010 (persons)	Average deposition density of ¹³⁷ Cs on soil (Bq/m ²)	Estimated absorbed doses to the colon of adults (mGy)						
			External (plume)	External (ground)	Inhalation (plume)	Ingestion	Total		
			Mean	Mean	Mean	Mean	Mean	5%ile	95%ile
Yamagata Prefecture									
Kaminoyama Shi	36 118	4 240	<0.001	0.094	0.001	0.005	0.10	0.053	0.17
Nan-yo Shi	35 110	5 580	<0.001	0.083	0.001	0.005	0.089	0.047	0.15
Takahata Machi	26 358	4 540	0.001	0.076	0.001	0.005	0.083	0.044	0.13
Yamagata Shi	257 936	5 880	<0.001	0.10	0.001	0.005	0.11	0.059	0.18
Yonezawa Shi	92 876	3 434	0.001	0.088	<0.001	0.005	0.09	0.050	0.16

Table A-16.5. Absorbed doses to the colon of 10-year-old children in the first year after the accident for prefectures neighbouring Fukushima Prefecture

Municipality	Population in 2010 (persons)	Average deposition density of ¹³⁷ Cs on soil (Bq/m ²)	Estimated absorbed doses to the colon of 10-year-old children (mGy)						
			External (plume)	External (ground)	Inhalation (plume)	Ingestion	Total		
			Mean	Mean	Mean	Mean	Mean	5%ile	95%ile
Ibaraki Prefecture									
Daigo Machi	22 077	9 233	0.001	0.20	0.003	0.005	0.21	0.11	0.34
Hitachi Shi	14 753	27 366	0.007	0.58	0.043	0.005	0.63	0.33	1.1
Hitachiomiya Shi	2 512	8 220	<0.001	0.18	0.003	0.005	0.19	0.10	0.31
Hitachiota Shi	5 188	6 358	<0.001	0.17	0.003	0.005	0.17	0.093	0.28
Kitaibaraki Shi	49 847	16 821	0.004	0.62	0.021	0.005	0.65	0.35	1.1
Takahagi Shi	32 207	26 854	0.007	0.90	0.044	0.005	0.96	0.51	1.6
Miyagi Prefecture									
Higashimatsushima Shi	43 611	7 050	0.007	0.16	0.040	0.005	0.21	0.11	0.39
Iwanuma Shi	42 842	16 081	0.004	0.35	0.021	0.005	0.38	0.20	0.62
Kakuda Shi	33 783	37 016	0.003	0.76	0.018	0.005	0.79	0.42	1.3
Kawasaki Machi	10 517	9 496	0.001	0.21	0.003	0.005	0.22	0.12	0.37
Marumori Machi	16 632	49 610	0.003	1.1	0.017	0.005	1.1	0.57	1.8
Murata Machi	12 390	14 629	0.001	0.32	0.004	0.005	0.33	0.17	0.53
Natori Shi	75 306	14 709	0.004	0.44	0.022	0.005	0.47	0.25	0.77
Ogawara Machi	23 398	33 604	0.001	0.70	0.008	0.005	0.71	0.38	1.2
Rifu Cho	32 611	14 720	0.007	0.31	0.035	0.005	0.35	0.19	0.59
Sendai Shi	1 014 208	10 674	0.001	0.23	0.004	0.005	0.24	0.13	0.39
Shibata Machi	39 490	29 017	0.002	0.59	0.009	0.005	0.60	0.32	1.0
Shichigahama Machi	22 259	7 680	0.003	0.17	0.019	0.005	0.19	0.11	0.33
Shichikashuku Machi	1 871	9 264	0.001	0.22	0.003	0.005	0.22	0.12	0.37
Shiogama Shi	56 266	13 640	0.006	0.29	0.033	0.005	0.34	0.19	0.58
Shiroishi Shi	39 696	31 054	0.001	0.64	0.005	0.005	0.65	0.34	1.1
Tagajo Shi	64 922	15 380	0.006	0.33	0.032	0.005	0.37	0.20	0.64
Watari Cho	35 776	26 777	0.007	0.55	0.039	0.005	0.60	0.31	1.1
Yamamoto Cho	17 248	42 626	0.012	0.83	0.068	0.005	0.92	0.47	1.5
Zao Machi	13 073	18 296	0.002	0.39	0.008	0.005	0.41	0.22	0.67
Tochigi Prefecture									
Nakagawa Machi	19 903	18 800	0.002	0.39	0.012	0.005	0.41	0.22	0.67
Nasu Machi	26 691	51 525	0.001	1.05	0.003	0.005	1.1	0.57	1.8
Nasushiobara Shi	118 463	52 368	0.001	1.11	0.007	0.005	1.1	0.60	1.9
Nikko Shi	85 261	7 203	<0.001	0.34	0.001	0.005	0.35	0.19	0.58
Otawara Shi	75 385	23 434	0.002	0.56	0.009	0.005	0.57	0.31	0.94

Municipality	Population in 2010 (persons)	Average deposition density of ¹³⁷ Cs on soil (Bq/m ²)	Estimated absorbed doses to the colon of 10-year-old children (mGy)						
			External (plume)	External (ground)	Inhalation (plume)	Ingestion	Total		
			Mean	Mean	Mean	Mean	Mean	5%ile	95%ile
Yamagata Prefecture									
Kaminoyama Shi	36 118	4 240	<0.001	0.12	0.001	0.005	0.12	0.066	0.20
Nan-yo Shi	35 110	5 580	<0.001	0.10	0.001	0.005	0.11	0.058	0.18
Takahata Machi	26 358	4 540	0.001	0.10	0.001	0.005	0.10	0.054	0.17
Yamagata Shi	257 936	5 880	<0.001	0.13	0.001	0.005	0.14	0.073	0.23
Yonezawa Shi	92 876	3 434	0.001	0.11	0.001	0.005	0.12	0.063	0.19

Table A-16.6. Absorbed doses to the colon of 1-year-old infants in the first year after the accident for prefectures neighbouring Fukushima Prefecture

Municipality	Population in 2010 (persons)	Average deposition density of ¹³⁷ Cs on soil (Bq/m ²)	Estimated absorbed doses to the colon of 1-year-old infants (mGy)						
			External (plume)	External (ground)	Inhalation (plume)	Ingestion	Total		
			Mean	Mean	Mean	Mean	Mean	5%ile	95%ile
Ibaraki Prefecture									
Daigo Machi	22 077	9 233	0.001	0.23	0.004	0.004	0.24	0.13	0.40
Hitachi Shi	14 753	27 366	0.008	0.67	0.052	0.004	0.74	0.40	1.2
Hitachiomiya Shi	2 512	8 220	0.001	0.21	0.003	0.004	0.22	0.12	0.36
Hitachiota Shi	5 188	6 358	<0.001	0.19	0.003	0.004	0.20	0.11	0.33
Kitaibaraki Shi	49 847	16 821	0.004	0.73	0.025	0.004	0.76	0.41	1.3
Takahagi Shi	32 207	26 854	0.008	1.1	0.052	0.004	1.1	0.61	1.9
Miyagi Prefecture									
Higashimatsushima Shi	43 611	7 050	0.008	0.18	0.049	0.004	0.24	0.13	0.47
Iwanuma Shi	42 842	16 081	0.004	0.41	0.024	0.004	0.44	0.24	0.73
Kakuda Shi	33 783	37 016	0.004	0.89	0.022	0.004	0.92	0.50	1.5
Kawasaki Machi	10 517	9 496	0.001	0.25	0.004	0.004	0.26	0.14	0.43
Marumori Machi	16 632	49 610	0.004	1.2	0.021	0.004	1.3	0.68	2.1
Murata Machi	12 390	14 629	0.001	0.37	0.005	0.004	0.38	0.20	0.62
Natori Shi	75 306	14 709	0.004	0.51	0.025	0.004	0.54	0.29	0.90
Ogawara Machi	23 398	33 604	0.002	0.81	0.009	0.004	0.83	0.45	1.4
Rifu Cho	32 611	14 720	0.007	0.36	0.044	0.004	0.41	0.22	0.70
Sendai Shi	1 014 208	10 674	0.001	0.26	0.005	0.004	0.27	0.15	0.45
Shibata Machi	39 490	29 017	0.002	0.68	0.011	0.004	0.70	0.38	1.2
Shichigahama Machi	22 259	7 680	0.004	0.19	0.024	0.004	0.23	0.13	0.39
Shichikashuku Machi	1 871	9 264	0.001	0.25	0.003	0.004	0.26	0.14	0.43
Shiogama Shi	56 266	13 640	0.007	0.34	0.040	0.004	0.39	0.22	0.68
Shiroishi Shi	39 696	31 054	0.001	0.74	0.006	0.004	0.75	0.41	1.2
Tagajo Shi	64 922	15 380	0.007	0.38	0.039	0.004	0.43	0.24	0.75
Watari Cho	35 776	26 777	0.008	0.64	0.047	0.004	0.70	0.36	1.2
Yamamoto Cho	17 248	42 626	0.013	0.97	0.082	0.004	1.1	0.56	1.8
Zao Machi	13 073	18 296	0.002	0.46	0.010	0.004	0.47	0.26	0.78
Tochigi Prefecture									
Nakagawa Machi	19 903	18 800	0.002	0.46	0.014	0.004	0.48	0.26	0.79
Nasu Machi	26 691	51 525	0.001	1.2	0.004	0.004	1.2	0.67	2.1
Nasushiobara Shi	118 463	52 368	0.001	1.3	0.009	0.004	1.3	0.71	2.2
Nikko Shi	85 261	7 203	<0.001	0.40	0.001	0.004	0.41	0.22	0.68
Otawara Shi	75 385	23 434	0.002	0.65	0.011	0.004	0.67	0.36	1.1

<i>Municipality</i>	<i>Population in 2010 (persons)</i>	<i>Average deposition density of ¹³⁷Cs on soil (Bq/m²)</i>	<i>Estimated absorbed doses to the colon of 1-year-old infants (mGy)</i>						
			<i>External (plume)</i>	<i>External (ground)</i>	<i>Inhalation (plume)</i>	<i>Ingestion</i>	<i>Total</i>		
			<i>Mean</i>	<i>Mean</i>	<i>Mean</i>	<i>Mean</i>	<i>Mean</i>	<i>5%ile</i>	<i>95%ile</i>
Yamagata Prefecture									
Kaminoyama Shi	36 118	4 240	<0.001	0.14	0.002	0.004	0.14	0.079	0.24
Nan-yo Shi	35 110	5 580	<0.001	0.12	0.001	0.004	0.13	0.069	0.21
Takahata Machi	26 358	4 540	0.001	0.11	0.002	0.004	0.12	0.064	0.19
Yamagata Shi	257 936	5 880	<0.001	0.15	0.001	0.004	0.16	0.087	0.26
Yonezawa Shi	92 876	3 434	0.001	0.13	0.001	0.004	0.14	0.075	0.22

Table A-16.7. Absorbed doses to the colon of adults in the first year after the accident for prefectures in Japan distant from Fukushima Prefecture

Prefecture	Population in 2010 (persons)	Average soil deposition of ^{137}Cs (Bq/m ²)	Estimated absorbed doses to the colon of adults (mGy)				
			External (plume)	External (ground)	Inhalation (plume)	Ingestion	Total
Remainder of Japan							
Aichi Prefecture	7 410 719	9	<0.001	<0.001	<0.001	0.004	0.004
Akita Prefecture	1 085 997	175	<0.001	0.003	<0.001	0.004	0.007
Aomori Prefecture	1 373 339	67	<0.001	0.001	<0.001	0.004	0.005
Chiba Prefecture	6 216 289	20 931	<0.001	0.35	<0.001	0.004	0.35
Ehime Prefecture	1 431 493	7	<0.001	<0.001	<0.001	0.004	0.004
Fukui Prefecture	806 314	31	<0.001	0.001	<0.001	0.004	0.005
Fukuoka Prefecture	5 071 968	1	<0.001	<0.001	<0.001	0.004	0.004
Gifu Prefecture	2 080 773	16	<0.001	<0.001	<0.001	0.004	0.004
Gunma Prefecture	2 008 068	13 639	<0.001	0.23	<0.001	0.004	0.23
Hiroshima Prefecture	2 860 750	4	<0.001	<0.001	<0.001	0.004	0.004
Hokkaido Prefecture	5 506 419	9	<0.001	<0.001	<0.001	0.004	0.004
Hyogo Prefecture	5 588 133	8	<0.001	<0.001	<0.001	0.004	0.004
Ishikawa Prefecture	1 169 788	13	<0.001	<0.001	<0.001	0.004	0.004
Iwate Prefecture	1 330 147	11 880	<0.001	0.20	<0.001	0.004	0.20
Kagawa Prefecture	995 842	6	<0.001	<0.001	<0.001	0.004	0.004
Kagoshima Prefecture	1 706 242	1	<0.001	<0.001	<0.001	0.004	0.004
Kanagawa Prefecture	9 048 331	3 857	<0.001	0.067	<0.001	0.004	0.07
Kochi Prefecture	764 456	36	<0.001	0.001	<0.001	0.004	0.005
Kumamoto Prefecture	1 817 426	0	<0.001	<0.001	<0.001	0.004	0.004
Kyoto Prefecture	2 636 092	7	<0.001	<0.001	<0.001	0.004	0.004
Mie Prefecture	1 854 724	27	<0.001	0.001	<0.001	0.004	0.004
Miyazaki Prefecture	1 135 233	6	<0.001	<0.001	<0.001	0.004	0.004
Nagano Prefecture	2 152 449	1 251	<0.001	0.023	<0.001	0.004	0.027
Nagasaki Prefecture	1 426 779	2	<0.001	<0.001	<0.001	0.004	0.004
Nara Prefecture	1 400 728	7	<0.001	<0.001	<0.001	0.004	0.004
Niigata Prefecture	2 374 450	49	<0.001	0.001	<0.001	0.004	0.005
Oita Prefecture	1 196 529	1	<0.001	<0.001	<0.001	0.004	0.004
Okayama Prefecture	1 945 276	4	<0.001	<0.001	<0.001	0.004	0.004
Okinawa Prefecture	1 392 818	4	<0.001	<0.001	<0.001	0.004	0.004
Osaka Prefecture	8 865 245	9	<0.001	<0.001	<0.001	0.004	0.004
Saga Prefecture	849 788	1	<0.001	<0.001	<0.001	0.004	0.004
Saitama Prefecture	7 194 556	6 284	<0.001	0.11	<0.001	0.004	0.11
Shiga Prefecture	1 410 777	7	<0.001	<0.001	<0.001	0.004	0.004
Shimane Prefecture	717 397	6	<0.001	<0.001	<0.001	0.004	0.004
Shizuoka Prefecture	3 765 007	643	<0.001	0.012	<0.001	0.004	0.016
Tokushima Prefecture	785 491	8	<0.001	<0.001	<0.001	0.004	0.004

<i>Prefecture</i>	<i>Population in 2010 (persons)</i>	<i>Average soil deposition of ¹³⁷Cs (Bq/m²)</i>	<i>Estimated absorbed doses to the colon of adults (mGy)</i>				
			<i>External (plume)</i>	<i>External (ground)</i>	<i>Inhalation (plume)</i>	<i>Ingestion</i>	<i>Total</i>
Tokyo	13 159 388	8 499	<0.001	0.14	<0.001	0.004	0.15
Tottori Prefecture	588 667	11	<0.001	<0.001	<0.001	0.004	0.004
Toyama Prefecture	1 093 247	16	<0.001	<0.001	<0.001	0.004	0.004
Wakayama Prefecture	1 002 198	10	<0.001	<0.001	<0.001	0.004	0.004
Yamaguchi Prefecture	1 451 338	3	<0.001	<0.001	<0.001	0.004	0.004
Yamanashi Prefecture	863 075	208	<0.001	0.004	<0.001	0.004	0.008

Table A-16.8. Absorbed doses to the colon of 10-year-old children in the first year after the accident for prefectures in Japan distant from Fukushima Prefecture

Prefecture	Population in 2010 (persons)	Average soil deposition of ^{137}Cs (Bq/m^2)	Estimated absorbed doses to the colon of 10-year-old children (mGy)				
			External (plume)	External (ground)	Inhalation (plume)	Ingestion	Total
Remainder of Japan							
Aichi Prefecture	7 410 719	9	<0.001	<0.001	<0.001	0.003	0.003
Akita Prefecture	1 085 997	175	<0.001	0.004	<0.001	0.003	0.007
Aomori Prefecture	1 373 339	67	<0.001	0.002	<0.001	0.003	0.005
Chiba Prefecture	6 216 289	20 931	<0.001	0.44	<0.001	0.003	0.44
Ehime Prefecture	1 431 493	7	<0.001	<0.001	<0.001	0.003	0.003
Fukui Prefecture	806 314	31	<0.001	0.001	<0.001	0.003	0.004
Fukuoka Prefecture	5 071 968	1	<0.001	<0.001	<0.001	0.003	0.003
Gifu Prefecture	2 080 773	16	<0.001	<0.001	<0.001	0.003	0.003
Gunma Prefecture	2 008 068	13 639	<0.001	0.29	<0.001	0.003	0.29
Hiroshima Prefecture	2 860 750	4	<0.001	<0.001	<0.001	0.003	0.003
Hokkaido Prefecture	5 506 419	9	<0.001	<0.001	<0.001	0.003	0.003
Hyogo Prefecture	5 588 133	8	<0.001	<0.001	<0.001	0.003	0.003
Ishikawa Prefecture	1 169 788	13	<0.001	<0.001	<0.001	0.003	0.003
Iwate Prefecture	1 330 147	11 880	<0.001	0.25	<0.001	0.003	0.25
Kagawa Prefecture	995 842	6	<0.001	<0.001	<0.001	0.003	0.003
Kagoshima Prefecture	1 706 242	1	<0.001	<0.001	<0.001	0.003	0.003
Kanagawa Prefecture	9 048 331	3 857	<0.001	0.085	<0.001	0.003	0.088
Kochi Prefecture	764 456	36	<0.001	0.001	<0.001	0.003	0.004
Kumamoto Prefecture	1 817 426	0	<0.001	<0.001	<0.001	0.003	0.003
Kyoto Prefecture	2 636 092	7	<0.001	<0.001	<0.001	0.003	0.003
Mie Prefecture	1 854 724	27	<0.001	0.001	<0.001	0.003	0.004
Miyazaki Prefecture	1 135 233	6	<0.001	<0.001	<0.001	0.003	0.003
Nagano Prefecture	2 152 449	1 251	<0.001	0.029	<0.001	0.003	0.032
Nagasaki Prefecture	1 426 779	2	<0.001	<0.001	<0.001	0.003	0.003
Nara Prefecture	1 400 728	7	<0.001	<0.001	<0.001	0.003	0.003
Niigata Prefecture	2 374 450	49	<0.001	0.001	<0.001	0.003	0.004
Oita Prefecture	1 196 529	1	<0.001	<0.001	<0.001	0.003	0.003
Okayama Prefecture	1 945 276	4	<0.001	<0.001	<0.001	0.003	0.003
Okinawa Prefecture	1 392 818	4	<0.001	<0.001	<0.001	0.003	0.003
Osaka Prefecture	8 865 245	9	<0.001	<0.001	<0.001	0.003	0.003
Saga Prefecture	849 788	1	<0.001	<0.001	<0.001	0.003	0.003
Saitama Prefecture	7 194 556	6 284	<0.001	0.14	<0.001	0.003	0.14
Shiga Prefecture	1 410 777	7	<0.001	<0.001	<0.001	0.003	0.003
Shimane Prefecture	717 397	6	<0.001	<0.001	<0.001	0.003	0.003
Shizuoka Prefecture	3 765 007	643	<0.001	0.015	<0.001	0.003	0.018
Tokushima Prefecture	785 491	8	<0.001	<0.001	<0.001	0.003	0.003

<i>Prefecture</i>	<i>Population in 2010 (persons)</i>	<i>Average soil deposition of ¹³⁷Cs (Bq/m²)</i>	<i>Estimated absorbed doses to the colon of 10-year-old children (mGy)</i>				
			<i>External (plume)</i>	<i>External (ground)</i>	<i>Inhalation (plume)</i>	<i>Ingestion</i>	<i>Total</i>
Tokyo	13 159 388	8 499	<0.001	0.18	<0.001	0.003	0.19
Tottori Prefecture	588 667	11	<0.001	<0.001	<0.001	0.003	0.003
Toyama Prefecture	1 093 247	16	<0.001	<0.001	<0.001	0.003	0.003
Wakayama Prefecture	1 002 198	10	<0.001	<0.001	<0.001	0.003	0.003
Yamaguchi Prefecture	1 451 338	3	<0.001	<0.001	<0.001	0.003	0.003
Yamanashi Prefecture	863 075	208	<0.001	0.005	<0.001	0.003	0.008

Table A-16.9. Absorbed doses to the colon of 1-year-old infants in the first year after the accident for prefectures in Japan distant from Fukushima Prefecture

Prefecture	Population in 2010 (persons)	Average soil deposition of ^{137}Cs (Bq/m^2)	Estimated absorbed doses to the colon of 1-year-old infants (mGy)				
			External (plume)	External (ground)	Inhalation (plume)	Ingestion	Total
Remainder of Japan							
Aichi Prefecture	7 410 719	9	<0.001	<0.001	<0.001	0.002	0.003
Akita Prefecture	1 085 997	175	<0.001	0.005	<0.001	0.002	0.007
Aomori Prefecture	1 373 339	67	<0.001	0.002	<0.001	0.002	0.004
Chiba Prefecture	6 216 289	20 931	<0.001	0.51	<0.001	0.002	0.51
Ehime Prefecture	1 431 493	7	<0.001	<0.001	<0.001	0.002	0.002
Fukui Prefecture	806 314	31	<0.001	0.001	<0.001	0.002	0.003
Fukuoka Prefecture	5 071 968	1	<0.001	<0.001	<0.001	0.002	0.002
Gifu Prefecture	2 080 773	16	<0.001	0.001	<0.001	0.002	0.003
Gunma Prefecture	2 008 068	13 639	<0.001	0.33	<0.001	0.002	0.34
Hiroshima Prefecture	2 860 750	4	<0.001	<0.001	<0.001	0.002	0.002
Hokkaido Prefecture	5 506 419	9	<0.001	<0.001	<0.001	0.002	0.003
Hyogo Prefecture	5 588 133	8	<0.001	<0.001	<0.001	0.002	0.003
Ishikawa Prefecture	1 169 788	13	<0.001	<0.001	<0.001	0.002	0.003
Iwate Prefecture	1 330 147	11 880	<0.001	0.29	<0.001	0.002	0.29
Kagawa Prefecture	995 842	6	<0.001	<0.001	<0.001	0.002	0.002
Kagoshima Prefecture	1 706 242	1	<0.001	<0.001	<0.001	0.002	0.002
Kanagawa Prefecture	9 048 331	3 857	<0.001	0.098	<0.001	0.002	0.10
Kochi Prefecture	764 456	36	<0.001	0.001	<0.001	0.002	0.003
Kumamoto Prefecture	1 817 426	0	<0.001	<0.001	<0.001	0.002	0.002
Kyoto Prefecture	2 636 092	7	<0.001	<0.001	<0.001	0.002	0.002
Mie Prefecture	1 854 724	27	<0.001	0.001	<0.001	0.002	0.003
Miyazaki Prefecture	1 135 233	6	<0.001	<0.001	<0.001	0.002	0.002
Nagano Prefecture	2 152 449	1 251	<0.001	0.033	<0.001	0.002	0.035
Nagasaki Prefecture	1 426 779	2	<0.001	<0.001	<0.001	0.002	0.002
Nara Prefecture	1 400 728	7	<0.001	<0.001	<0.001	0.002	0.002
Niigata Prefecture	2 374 450	49	<0.001	0.001	<0.001	0.002	0.004
Oita Prefecture	1 196 529	1	<0.001	<0.001	<0.001	0.002	0.002
Okayama Prefecture	1 945 276	4	<0.001	<0.001	<0.001	0.002	0.002
Okinawa Prefecture	1 392 818	4	<0.001	<0.001	<0.001	0.002	0.002
Osaka Prefecture	8 865 245	9	<0.001	<0.001	<0.001	0.002	0.003
Saga Prefecture	849 788	1	<0.001	<0.001	<0.001	0.002	0.002
Saitama Prefecture	7 194 556	6 284	<0.001	0.16	<0.001	0.002	0.16
Shiga Prefecture	1 410 777	7	<0.001	<0.001	<0.001	0.002	0.002
Shimane Prefecture	717 397	6	<0.001	<0.001	<0.001	0.002	0.002
Shizuoka Prefecture	3 765 007	643	<0.001	0.018	<0.001	0.002	0.020
Tokushima Prefecture	785 491	8	<0.001	<0.001	<0.001	0.002	0.003

<i>Prefecture</i>	<i>Population in 2010 (persons)</i>	<i>Average soil deposition of ¹³⁷Cs (Bq/m²)</i>	<i>Estimated absorbed doses to the colon of 1-year-old infants (mGy)</i>				
			<i>External (plume)</i>	<i>External (ground)</i>	<i>Inhalation (plume)</i>	<i>Ingestion</i>	<i>Total</i>
Tokyo	13 159 388	8 499	<0.001	0.21	<0.001	0.002	0.21
Tottori Prefecture	588 667	11	<0.001	<0.001	<0.001	0.002	0.003
Toyama Prefecture	1 093 247	16	<0.001	0.001	<0.001	0.002	0.003
Wakayama Prefecture	1 002 198	10	<0.001	<0.001	<0.001	0.002	0.003
Yamaguchi Prefecture	1 451 338	3	<0.001	<0.001	<0.001	0.002	0.002
Yamanashi Prefecture	863 075	208	<0.001	0.006	<0.001	0.002	0.008

REFERENCES

MIC. Population census 2010. Ministry of Internal Affairs and Communications, Japan. [Internet] Available from (https://www.e-stat.go.jp/en/stat-search/files?page=1&toukei=00200521&bunya_1=02&tstat=000001039448&cycle=0&result_page=1&cycle_facet=cycle) on 27 February 2020.